













No.	Picture	Item No.	Product description	Chip
1		N-MT001	135*21*12mm ABS	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
2		N-MT002	116*30*11mm ABS	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
3		N-MT003	89*28*8mm/116*30*11mm ABS	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
4		N-MT004	153*32mm ABS	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
5		N-MT005	79*31*8mm ABS	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216

6		N-MT006	100*22*20mm ABS	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
7		N-MT007	Power tool management ABS electronic tag high temperature resistance 30*30*6 mm	Impinj M6
8		N-MT008	Ceramic anti-metal RFID tag 48x36x7.5mm, 24*19*5mm Packaging material: ceramic + special material	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
9		N-MT009	/	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
10		N-MT010	865-928MHz RFID UHF Metal Mounted Tag Lock Tag Size: 58*18*18mm Weight: 22g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216

11		N-MT011	73*42*14mm Material: 304steel+PPS Weight: 82g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
12		N-MT012	/	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
13		N-MT013	30*15mm PPS/PA66 Weight: 7g	Ucode 8, Ucode 9
14		N-MT014	/	Ucode 8, Ucode 9
15		N-MT015	/	Ucode 8, Ucode 9

16		N-ZT001	88*28*3.6mm ABS+PA66 Weight: 16g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
17		N-ZT002	68*24*3.6mm ABS+PA66 Weight: 7g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
18		N-ZT003	50*40*4mm ABS+PA66 Weight: 7g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
19		N-ZT006	53*53*4.2mm ABS+PA66 Weight: 13g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
20		N-ZT007	33*23*3.5mm ABS+PA66 Weight: 13g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216

21		N-ZT008	<p>φ29*4mm ABS+PA66 Weight: 4g</p>	<p>Impinj M4, Impinj R6 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216</p>
22		N-ST001	<p>44*45*5mm ABS+steel wire Weight: 20g</p>	<p>Impinj M4, Impinj R6 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216</p>
23		N-ST002	<p>45*29*8.5mm, line: 350mm</p>	<p>Impinj M4, Impinj R6 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216</p>
24		N-ST003	<p>36*42*4mm ABS+steel wire Weight: 20g</p>	<p>Impinj M4, Impinj R6 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216</p>
25		N-ST004	<p>60*28*13.5mm ABS+steel wire Weight: 17g</p>	<p>Impinj M4, Impinj R6 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216</p>


26		N-ST005	80*30*5mm ABS+steel wire Weight: 20g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
27		N-ST006	41*28*13mm ABS+steel wire Weight: 17g	Impinj M4, Impinj R6 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
28		N-CT001	14/18/20/22/24/28/30*2.3mm PPS Weight: 1.3g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
29		N-CT002	40*3mm, hole 5mm PPS Weight: 9g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
30		N-CT003	φ25/30/35/40/45/52*8mm, hole 5mm ABS Weight: 10g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216

31		N-HT004-1	φ25/30/35/40/45/52*8mm, hole 5mm ABS Weight: 10g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
32		N-HT004-2	φ25/30/35/40/45/52*8mm, hole 5mm ABS Weight: 10g	Impinj R6 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216 EM4100, EM4200
33		N-CT004	45*2.5mm ABS Weight: 4g	Impinj R6 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216 EM4100, EM4200
34		N-CT005	15/20/25.5*3mm, hole 2mm ABS Weight: 4g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
35		N-CT006	35*3.6mm, hole 4mm ABS Weight: 3g	Impinj R6 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216 EM4100, EM4200

36		N-CT007	30*4.5mm, hole 5mm ABS Weight: 3g	Impinj R6 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216 EM4100, EM4200
37		N-CT008	25*4.3mm, hole 5mm ABS Weight: 2g	Impinj R6 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216 EM4100, EM4200
38		N-CT009	30*2.8mm ABS Weight: 2g	Impinj R6 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216 EM4100, EM4200
39		N-CT010	66*53*7.5mm ABS Weight: 14g	Impinj R6 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216 EM4100, EM4200
40		N-AT001	1.25*7/1.4*8/2.12*8/2.12*12mm Bioglass Weight: 14g	EM4305, EM4100



41		N-AT002	120*45mm Weight: 14g	/
42		N-AT003	φ30*15mm, 30mm Material: TPU	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
43		N-AT004	101*76mm, 30mm Material: TPU	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
44		N-AT005	/	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216
45		N-AT006	28*41*6mm PPS/PA66/PC Weight: 3g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216

46		N-AT007	36*6mm ABS engineering plastic + epoxy resin Weight: 4g	Ucode 8, Ucode 9 Mifare 1K Icode-SLI-X Ntag213, Ntag215, Ntag216 EM4100
----	---	---------	--	---